


## Instructions for Changing Your Access Numbers

- **Windows 95 (With Dial-Up Networking)**
- **Windows 3.1**
- **Windows NT 4.0 (With Remote Access Service)**
- **Macintosh (FreePPP v2.0 or Higher)**
- **Macintosh (ConfigPPP)**
- **Macintosh OS8 (OT/PPP)**

## Windows 95 (With Dial-Up Networking)

1. Double-click on the My Computer icon on your desktop.
2. Double-click on the Dial-Up Networking icon.
3. Locate the SpeedSite icon in the Dial-Up Networking window.
4. Right click on the SpeedSite icon and select Properties from the contextual menu.
5. In the window that appears, enter the new phone number in the Phone number field.
6. Click OK to save your changes.



## Windows 3.1

1. In Program Manager, click on the Window menu item and select Microsoft Internet Explorer.

**NOTE:** If Microsoft Internet Explorer is not listed, click on More Windows... and select Microsoft Internet Explorer from the list that appears. If Microsoft Internet Explorer is not available from the More Windows... menu, call Technical Support at (312) 803-5500 for assistance.

2. In the Connect To window, click the Properties button.


The image shows a screenshot of the 'Connect To' dialog box in Windows 3.1. The window has a blue title bar with the text 'Connect To'. Below the title bar is a yellow icon of a hand holding a telephone receiver, followed by the text 'SpeedSite Connect'. The dialog box contains several input fields and buttons. The 'User Name:' field is empty. The 'Password:' field is empty. The 'Phone number:' field contains the text '9, 8035490'. The 'Dialing from:' field is a dropdown menu with 'Default Location' selected. To the right of the dropdown menu is a button labeled 'Dial Settings'. At the bottom of the dialog box are four buttons: 'Connect', 'Properties', 'Close', and 'Help'.

*Continued on next page...*

[Click here to return to SpeedSite Dial-Up Numbers.](#)


3. In the Connection Properties window, enter the new phone number in the Telephone number field. Click OK to save your changes.

**NOTE:** If the number you are dialing has a different area code than the number you are dialing from, make sure that Use country code and area code is selected and that the proper information is entered for the number you are dialing.



## Windows NT 4.0 (With Remote Access Service)

1. Double-click on the My Computer icon on your desktop.
2. Double-click on the Dial-Up Networking icon.
3. In the Dial-Up Networking window, select the SpeedSite phonebook entry In the “Phonebook entry to dial” drop-down box.
4. Click on the More button, and select “Edit entry and modem properties...”



*Continued on next page...*

[Click here to return to SpeedSite Dial-Up Numbers.](#)

5. Enter the new phone number in the Phone number field. Click OK to save your changes.

**NOTE:** If the number you are dialing has a different area code than the number you are dialing from, make sure that Use Telephony dialing properties is selected and that the proper information is entered for the number you are dialing.

**Edit Phonebook Entry** [?] [X]

Basic | Server | Script | Security | X.25

Entry name: XSITE Internet Service

Comment:

Country code: United States of America (1) ▾

Area code: 312 ▾

Phone number: 8035490 Alternates...

Use Telephony dialing properties

Dial using: Standard 28800 bps Modem (COM) ▾ Configure...


Use another port if busy

OK Cancel

[Click here to return to SpeedSite Dial-Up Numbers.](#)

## Macintosh (FreePPP v2.0 or Higher)

1. Select the FreePPP menu from your menu bar and choose Open FreePPP Setup.
2. Select the Accounts tab from the FreePPP setup window.
3. Highlight the entry for SpeedSite and click Edit.



*Continued on next page...*

[Click here to return to SpeedSite Dial-Up Numbers.](#)

4. Enter the new phone number in the Phone number field. Click OK to save and then close the FreePPP Setup window to save your changes.


The screenshot shows the 'Options' tab of the FreePPP Setup window. The window has three tabs: 'Account', 'Connection', and 'Options', with 'Options' selected. The 'Server name' field contains 'SpeedSite'. The 'Phone number' field is empty. There are two unchecked checkboxes: 'Dial as long distance' and 'Dial area code'. The 'Connect' dropdown menu is set to 'Manually'. Below it is a button labeled 'Edit connection script...'. The 'User name' and 'Password' fields are empty. At the bottom right are 'Cancel' and 'OK' buttons.

	<b>Account</b>		<b>Connection</b>	<input checked="" type="checkbox"/>	<b>Options</b>
<b>Server name:</b>	<input type="text" value="SpeedSite"/>				
<b>Phone number:</b>	<input type="text"/>				
	<input type="checkbox"/> <b>Dial as long distance</b>				
	<input type="checkbox"/> <b>Dial area code</b>				
<b>Connect:</b>	<input type="text" value="Manually"/>				
	<input type="button" value="Edit connection script..."/>				
<b>User name:</b>	<input type="text"/>				
<b>Password:</b>	<input type="text"/>				
	<input type="button" value="Cancel"/>		<input type="button" value="OK"/>		

[Click here to return to SpeedSite Dial-Up Numbers.](#)

## Macintosh (ConfigPPP)

1. Click on your Apple menu and select Control Panels.
2. Double-click on the Config PPP control panel.
3. Click the Config button in the lower left hand corner of the ConfigPPP window.



*Continued on next page...*

[Click here to return to SpeedSite Dial-Up Numbers.](#)

4. Enter the new phone number in the Phone number field. Click Done to save your changes and close the ConfigPPP control panel.

PPP Server Name:	<input type="text" value="SpeedSite"/>
Port Speed:	<input type="text" value="38400"/>
Flow Control:	<input type="text" value="CTS &amp; RTS (DTR)"/>
<input checked="" type="radio"/> Tone Dial	<input type="radio"/> Pulse Dial
Phone num	<input type="text" value="803-5490"/>
Modem Init	<input type="text"/>
Modem connect timeout:	<input type="text" value="90"/> seconds
<input type="button" value="Connect Script..."/>	<input type="button" value="LCP Options..."/>
<input type="button" value="Authentication..."/>	<input type="button" value="IPCP Options..."/>
<input type="button" value="Done"/>	

## Macintosh OS8 (OT/PPP)

1. Click on your Apple menu and select Control Panels.
2. Double-click on the PPP control panel.
3. Enter the new phone number in the Number field. When you're finished, close the PPP control panel and click Save when prompted.

